



ALL DIMENSIONS: MM

| PART NUMBER | THREAD SIZE | LENGTH "L" | "ØA" | STUD LENGTH "B" | INSERT DEPTH "D" |
|---------------------|-------------|------------|------|-----------------|------------------|
| RS-TNSP-M3-L-STYLE | M3 | 16-35 | 6.4 | 6 | 6 |
| RS-TNSP-M4S-L-STYLE | M4 | 16-35 | 8.0 | 6 | 6 |
| RS-TNSP-M4L-L-STYLE | M4 | 16-35 | 9.5 | 6 | 6 |



NOTE:

1. SPACER MATERIAL: NYLON 66
2. METAL STUD/INSERT MATERIAL: BRASS
3. CUSTOM SPACER MATERIAL AVAILABLE
4. CUSTOM LENGTH AVAILABLE

| | | | | DESCRIPTION | THIRD ANGLE PROJECTION | | Vaisis www.vaisis.com | | | |
|------|-----------------------|-----------|----------|---|------------------------|-----------|--------------------------|----------|------|-----------|
| | | | | LOW VOLTAGE INSULATORS | | | | | | |
| REV. | DESCRIPTION | DATE | APPROVED | DWG DIMENSIONS IN MM [INCH] | DWG. No. | PART No. | DWN | DATE | CHKD | DATE |
| B | NEW CONFIG ADDED (M4) | 2/24/2011 | GC | TOLERANCES UNLESS NOTED .X=±0.25 [0.010] .XX=±0.15 [0.006] FRAC=±1/64 ANG=1° | DW-RS-TNSP | SEE TABLE | YW | 02/07/11 | YW | 2/24/2011 |
| A | INITIAL RELEASE | 2/7/2011 | GC | | | | SEE NOTE | NATURAL | NTS | A |